



RIVA

WOODBURNING & MULTI-FUEL
CASSETTE FIRES, STOVES & OPEN CONVECTOR FIRES



RIVA

Stovax's dedication to the development of premium quality, woodburning and multi-fuel stoves and fires over the past 34 years has helped to make it one of Europe's leading specialist manufacturers. The company's expertise has brought fire and stove technology to the very pinnacle of performance and design with the high efficiency Riva range.

Expertly crafted, the external looks of the Riva range complement their ease of operation, their technically advanced cleanburn combustion systems (which provide outstanding flame pictures) and their superior heating efficiencies. Just as important, when burning logs these stoves use an energy source that is carbon neutral, renewable and infinitely better for our environment.

STOVAX
Fire Your Imagination





SIT BACK & RELAX...

Choosing a fire for your home shouldn't be a stressful experience, we want you to be happy and relaxed from the moment you pick up this brochure, to the first time you light your kindling and for many years after! That's why we have carefully selected Expert Retailers to help you...

Expert Retailer Network


We take great care to ensure that our fires and stoves are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your chimney system) and visual; and ensure that you select the most appropriate product for your home. They will also be able to advise on, or assist with, the installation process as well as help provide any after-sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from purchasing the product only online and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Furthermore, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

Extended Warranty

When you choose a Stovax fire or stove, quality and technology are assured. Accordingly, when you purchase your new fire from a Stovax Expert Retailer they will provide you with a Two Year Warranty. This can then be extended to a Five Year Warranty provided your Riva Fire is registered with Stovax. Fires and stoves purchased outside Stovax's Expert Retailer Network will carry a standard 12 month non-extendable warranty. Further details of this warranty are on page 60.



INNOVATION & INSPIRATION...

The space in which you live is an expression of your individual style. Riva convectors, cassettes and stoves have been designed to create a striking centrepiece at the very heart of your home. Be inspired by their designs, impressed by their high levels of heating efficiency and admire their ease of control. Then simply relax in front of a real fire.

CE Marked & HETAS Accredited

All fires and stoves in this brochure are CE Marked. This means they have been independently tested to exacting European standards for heating efficiency, emissions and safety. All Riva Cassettes and Stoves have also been accredited by HETAS, the UK's official body recognised by the government to approve solid fuel domestic heating appliances.



Wood or Smokeless Fuel

Most Riva fires have options which will allow you to burn either logs or smokeless fuel. All Riva cassettes and stoves have a flat fuel bed because logs burn best on a level bed of ash. Smokeless fuels however, burn better on a raised grate that allows air to be drawn in from underneath. The skilful design of the Riva range permits the combustion of either fuel with equal proficiency with the exception of the Riva 76 cassette and Riva F76 Freestanding which have been designed as dedicated woodburning models only.

Woodburning

All models in this brochure have been designed for the burning of wood with optimum efficiency. Wood is an environmentally friendly fuel; when burnt, the carbon dioxide released into the atmosphere is approximately the same as that absorbed by the tree during growth. It is also a renewable resource, particularly when derived from plantations and cultivated woodland.



For optimum results, we recommend logs should be seasoned for 2 years or more to achieve a moisture content below 20%. This will not only give twice the output of freshly felled timber but also help avoid a build up of tar in your flue. Furthermore, if you can obtain hardwood logs this is better still, as they will have a significantly increased calorific value than softwoods for the same volume.



Riva F40 Freestanding in Metallic Black on Riva 100 High Bench

Smoke Control Area Approved

Many town and city homes are located in Smoke Control Areas as designated by the Clean Air Act 1993. The majority of Riva cassette fires and stoves, when fitted with the appropriate kit, have been approved for the burning of wood in these areas, meaning that even the most urban of homes can benefit from this environmentally friendly fuel source.



*Riva 50 with removable handle in situ and standard 4 sided frame,
both in Metallic Black*



CHOOSING YOUR FIRE OR STOVE...

This brochure offers you three distinctive ranges; High Efficiency Glass Fronted Riva Cassette fires, Riva Stoves and Riva Open Fires, each has it's own styling and technical capabilities. All three ranges present a perfect union of form and function, and provide your home with all the warming luxury of a real fire.

RIVA | CASSETTES 08-29



The Riva range can burn wood and multi-fuel and is available in six sizes, all of which are available as hearth-mounted 3-sided models or 4-sided models for installations further up the wall.

Riva cassettes feature our classic Profil frame which is available in standard or wide formats and with a choice of five sophisticated colour options!

RIVA | STOVES 30-45



Riva offers two unique woodburning and multi-fuel stove ranges, the sleek Riva Vision and the stunning Riva Freestanding, which display the same stylish lines as the Riva Cassettes. Choose from 3 sizes of Riva Vision and 6 sizes of Riva Freestanding Stoves.

These stoves look equally impressive installed into an inglenook, freestanding in your room or mounted on a stove bench, extending your styling possibilities.

RIVA | OPEN 46-53



For those who are looking for the traditional ambience of an open fire, there are the Riva Open Convector Fires, available in a range of sizes and with both traditional and contemporary styling options to suit a wide variety of fireplace types.

RIVA | OUTSTANDING EFFICIENCY FIRES

Riva Cassettes incorporate the very latest cleanburn technology with a unique 'Opti-Burn' setting. This means that they burn logs or smokeless fuels with outstanding efficiency, resulting in more heat delivery into the room and less going up the chimney. In addition to the radiant heat, a fourth airflow between the inner and outer skins of the Riva provides convected heat. This is emitted into the room naturally or, in the case of the 50, 55, 66 and 76, via an optional fan kit. These versatile cassette fires also offer the opportunity to heat other living spaces using an optional ducting system.



Riva Cassettes direct three types of air into the glass-fronted firebox, where they combine to provide superb flame control and exceptional views of the fire, which are further enhanced by Stovax's Airwash system that helps keep the glass clean.

Key Design Features

1. High density, thermal brick liner system.
2. Heated air jets from cleanburn ports on all three sides burn hydrocarbons in smoke.
3. Unique stainless steel baffle (multi-fuel).
4. Single combustion control lever.
5. Unique "Opti-Burn" setting provides optimum efficiency and visual effect for woodburning.
6. Airtight door with removable stainless steel handle.
7. Convected and radiant heat.
8. Externally operated riddling grate.
9. Convected heat ducting system outlets (Riva 50, 55, 66 & 76 cassettes only).
10. Easy fit flue connection through cassette.
11. Removable stainless steel ashpan.
12. Optional cast iron, multi-fuel kit† (not illustrated)
13. Optional stainless steel tool holder (not illustrated)
14. Optional Smoke Control Kit enables the burning of logs in Smoke Control Areas (not illustrated)
15. Optional fan-assisted convection system (Riva 50, 55, 66 & 76 cassettes only - not illustrated)
16. Optional ash caddy (not illustrated)



Riva 66 with 4 sided, wide Profil frame both in Storm Metallic with removable handle in situ



RIVA | CASSETTE SIZES



The outstanding Riva Cassette fires range is available in six different sizes, offering greater installation possibilities for interiors of all proportions. With three portrait, two landscape and one virtually square size, the beautifully designed Riva fires are the perfect blend of versatility and style. Riva Cassettes are available in a choice of Metallic Black or Storm Metallic. Accordingly, the Riva frame options (see below) feature the same colour finishes, plus three additional colours,

designed to specifically complement the contemporary visuals of the Riva Cassettes range. Choose from standard or wide Profil frames, both of which are available in three or four sided versions, depending on whether you want a traditional hearth mounted fire or a more contemporary 'hole in the wall' installation.

Cassette Sizes



| | RIVA 40 <i>(pages 10 - 13)</i> | RIVA 45 <i>(pages 14 - 15)</i> | RIVA 50 <i>(pages 16 - 19)</i> | RIVA 55 <i>(pages 20 - 21)</i> | RIVA 66 <i>(pages 22 - 25)</i> | RIVA 76 <i>(pages 26 - 27)</i> |
|------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|
| Heat Output | Nominal: 4.9kW Range: 1.7 - 7kW | Nominal: 5.0kW Range: 1.7 - 7kW | Nominal: 7.0kW Range: 2.2 - 10kW | Nominal: 8.0kW Range: 2.8 - 11kW | Nominal: 8.0kW Range: 2.8 - 11kW | Nominal: 9.0kW Range: 3.2 - 12kW |
| Max. Efficiency | 82% | 83% | 83% | 84% | 80% | 78% |
| Wood & Multi-fuel | ✓ | ✓ | ✓ | ✓ | ✓ | Wood only |
| Max. Log Length | 250mm (9¾") | 250mm (9¾") | 350mm (13¾") | 350mm (13¾") | 450mm (17¾") | 510mm (20") |

Frame Options



3 Sided Standard Profil Frame

3 Sided Wide Profil Frame

4 Sided Standard Profil Frame

4 Sided Wide Profil Frame

Frame Colour Options

In addition to the Metallic Black and Storm Metallic finishes, there are three vibrant colour options for the Riva Profil frames - Metallic Red, Metallic Bronze and Ivory. Look for the colour symbol on the relevant pages for easy reference and see pages 28 - 29 for further details.

Fire & Frame Finishes



Metallic Black



Storm Metallic

Additional Frame Only Finishes




Metallic Red



Metallic Bronze



Ivory



Riva 40 with removable handle in situ, and wide 3 sided frame both in Storm Metallic. Also shown: Brompton White Mantel available from Stovax



RIVA | 40



The smallest model in the Riva Cassette range has been specially designed to fit into a standard 22" (560mm) high x 16" (405mm) wide British fireplace opening with the chairbrick removed. So you can now update the look of your living room with minimal construction work, possibly even without the need to remove the existing hearth and mantel. Alternatively, the Riva 40 can be installed as a 'hole in the wall' fire.

In addition to providing excellent contemporary style, installing a Riva 40 significantly increases the level of heat in your room when compared to a conventional open fire. Combustion efficiency is up to four times greater; giving you more heat for your money and lower fuel costs.

Key Technical Data

| | |
|-------------------------------------|-------------------|
| Nominal Heat Output | 4.9kW (1.7 - 7kW) |
| Max. Efficiency | 82% |
| Max. Log Length | 250mm (9¾") |
| Flue Connection (internal diameter) | 128mm (5") |

Key Options and Accessories

| | |
|----------------------------------|----------------------------------|
| Fire Finishes | Storm Metallic or Metallic Black |
| Multi-fuel Kit* | |
| Stainless Steel Tool Holder | |
| Smoke Control Kit | |
| Cast Iron Reeded Surround Panel† | |

Frames

- 3 sided, standard Profil
- 4 sided, standard Profil
- 3 sided, wide Profil
- 4 sided, wide Profil

Frame Finishes

- Storm Metallic
- Metallic Black
- Metallic Red
- Metallic Bronze
- Ivory

For detailed technical information, including firebox dimensions see pages 54 - 55.

*Required if smokeless fuel is to be used regularly - see page 55.

†See image on page 13. (940mm H x 940mm W with 560mm H x 410mm W cut out)



Riva 40 with handle removed and standard, 4 sided frame, both in Metallic Black.



RIVA | 40



Both the Riva 40 cassette fire and frames are finished in a choice of Stovax's Storm or Metallic Black paints. However, there are three additional frame colour options available to expand your interior design possibilities, as shown on pages 28 - 29. The Riva 40 is also approved for the burning of wood in Smoke Control Areas*, so this compact and contemporary cassette can add style to your home wherever your location!

**When fitted with a Smoke Control Kit & used in accordance with the operating instructions. Additional information for the Riva 40 can be found on page 11.*

Key Technical Data

| | |
|-------------------------------------|-------------------|
| Nominal Heat Output | 4.9kW (1.7 - 7kW) |
| Max. Efficiency | 82% |
| Max. Log Length | 250mm (9¾") |
| Flue Connection (internal diameter) | 128mm (5") |

Key Options and Accessories

| | |
|----------------------------------|----------------------------------|
| Fire Finishes | Storm Metallic or Metallic Black |
| Multi-fuel Kit* | |
| Stainless Steel Tool Holder | |
| Smoke Control Kit | |
| Cast Iron Reeded Surround Panel† | |

Frames

- 3 sided, standard Profil
- 4 sided, standard Profil
- 3 sided, wide Profil
- 4 sided, wide Profil

Frame Finishes

- Storm Metallic
- Metallic Black
- Metallic Red
- Metallic Bronze
- Ivory

For detailed technical information, including firebox dimensions see pages 54 - 55.

**Required if smokeless fuel is to be used regularly - see page 55.*

†See image on right. (940mm H x 940mm W with 560mm H x 410mm W cut out)



Riva 40 with removable handle in situ and standard 3 sided frame, both in Storm Metallic. Shown with Cast Iron Reeded Surround Panel.



Riva 45 with handle removed and standard 3
sided frame, both in Storm Metallic

RIVA | 45



Exhibiting the same clean and contemporary look as its smaller counterpart, the Riva 45's slightly taller stature makes a big impact.

Install your Riva 45 as either a 'hole in the wall' fire with a 4-sided frame or on a hearth with a 3-sided frame.

The choice of smart Storm or Metallic Black finishes which come as standard on all our Riva Cassettes can be complemented with one of three striking colours for the Profil frame. Choose either Metallic Red, Metallic Bronze or Ivory, to inspire a bold new look for your home (see pages 28 - 29).

Key Technical Data

| | |
|-------------------------------------|-----------------|
| Nominal Heat Output | 5kW (1.7 - 7kW) |
| Max. Efficiency | 83% |
| Max. Log Length | 250mm (9¾") |
| Flue Connection (internal diameter) | 128mm (5") |

Key Options and Accessories

| | |
|-----------------------------|----------------------------------|
| Fire Finishes | Storm Metallic or Metallic Black |
| Multi-fuel Kit* | |
| Stainless Steel Tool Holder | |
| Smoke Control Kit | |

Frames

- 3 sided, standard Profil
- 4 sided, standard Profil
- 3 sided, wide Profil
- 4 sided, wide Profil

Frame Finishes


- Storm Metallic
- Metallic Black
- Metallic Red
- Metallic Bronze
- Ivory

For detailed technical information, including firebox dimensions see pages 54 - 55.

*Required if smokeless fuel is to be used regularly - see page 55.



Riva 45 with removable handle in situ and standard 4 sided frame, both in Metallic Black



RIVA | 50



Riva 50 with handle removed and standard 3 sided frame, both in Metallic Black

Giving a wonderful view of the radiant, dancing flames, the Riva 50 is an impressively efficient member of the Riva family. With clean, contemporary lines designed to fit into a 22" high and wide fireplace opening, the Riva 50 can be installed with relative ease on to a hearth with a 3 sided frame, or with a 4 sided frame to create a 'hole in the wall' look.

Further images are shown on the pages 3, 6, 28 and 60.

Additional information for the Riva 50 can be found overleaf.

Key Technical Data

| | |
|-------------------------------------|--------------------|
| Nominal Heat Output | 7.0kW (2.2 - 10kW) |
| Max. Efficiency | 83% |
| Max. Log Length | 350mm (13¾") |
| Flue Connection (internal diameter) | 128mm (5") |

Key Options and Accessories

| | |
|----------------------------------|----------------------------------|
| Fire Finishes | Storm Metallic or Metallic Black |
| Fan convection kit (240v) | |
| Warm air ducting kit (2 outlets) | |
| Multi-fuel Kit* | |
| Stainless Steel Tool Holder | |
| Smoke Control Kit | |

Frames

3 sided, standard Profil
4 sided, standard Profil
3 sided, wide Profil
4 sided, wide Profil

Frame Finishes

Storm Metallic
Metallic Black
Metallic Red
Metallic Bronze
Ivory

For detailed technical information, including firebox dimensions see pages 54 - 55.

**Required if smokeless fuel is to be used regularly - see page 55.*





*Riva 50 with removable handle in situ and
standard 4 sided frame in Metallic Black*

RIVA | 50



Riva 50 with removable handle in situ and wide 4 sided frame, both in Storm Metallic



The Riva 50 can be fitted with an optional fan-assisted convection circulation kit, providing quicker heat delivery into the room when the fire is first lit. This impressive cassette fire has also been approved* for the burning of wood in Smoke Control Areas when fitted with an optional Smoke Control Kit.

Further images are shown on the pages 3, 6, 28 and 60.

Additional information for the Riva 50 can be found on page 16.

Key Technical Data

| | |
|-------------------------------------|--------------------|
| Nominal Heat Output | 7.0kW (2.2 - 10kW) |
| Max. Efficiency | 83% |
| Max. Log Length | 350mm (13¾") |
| Flue Connection (internal diameter) | 128mm (5") |

Key Options and Accessories

| | |
|----------------------------------|----------------------------------|
| Fire Finishes | Storm Metallic or Metallic Black |
| Fan convection kit (240v) | |
| Warm air ducting kit (2 outlets) | |
| Multi-fuel Kit* | |
| Stainless Steel Tool Holder | |
| Smoke Control Kit | |

Frames


- 3 sided, standard Profil
- 4 sided, standard Profil
- 3 sided, wide Profil
- 4 sided, wide Profil

Frame Finishes

- Storm Metallic
- Metallic Black
- Metallic Red
- Metallic Bronze
- Ivory

For detailed technical information, including firebox dimensions see pages 54 - 55.

*Required if smokeless fuel is to be used regularly - see page 55.





Riva 50 with removable handle in situ and standard 3 sided frame, both in Metallic Black. Shown with Stovax Medium Contemporary Log Holder

RIVA | 55



Riva 55 with removable handle in situ and standard 3 sided frame, both in Metallic Black.

Providing greater heat output and a larger window to view the swirling flames, the Riva 55 can be installed into a fireplace opening that is 915mm h x 915mm w x 460mm d (36"h x 36"w x 18"d).

The Riva 55 offers you two accessories to enhance your heating options. The first is fan-assisted convection for quicker warming of the room when the Riva is first lit. The second is a ducting system that can distribute warm air into the same room or to other living spaces. Installing the fan and ducting system together really will maximise the benefits from this impressive 8kW cassette fire.

Further images are shown on the pages 29 and 61.

Key Technical Data

| | |
|-------------------------------------|--------------------|
| Nominal Heat Output | 8.0kW (2.8 - 11kW) |
| Max. Efficiency | 84% |
| Max. Log Length | 350mm (13¾") |
| Flue Connection (internal diameter) | 128mm (5") |

Key Options and Accessories

| | |
|----------------------------------|----------------------------------|
| Fire Finishes | Storm Metallic or Metallic Black |
| Fan convection kit (240v) | |
| Warm air ducting kit (2 outlets) | |
| Multi-fuel Kit* | |
| Stainless Steel Tool Holder | |
| Smoke Control Kit | |

Frames

3 sided, standard Profil
4 sided, standard Profil
3 sided, wide Profil
4 sided, wide Profil

Frame Finishes

Storm Metallic
Metallic Black
Metallic Red
Metallic Bronze
Ivory

For detailed technical information, including firebox dimensions see pages 54 - 55.

*Required if smokeless fuel is to be used regularly - see page 55.





Riva 55 with handle removed and standard 4 sided frame in Storm Metallic. The optional tool holder is also shown.



Not only will this magnificent landscape cassette fire provide you with significant heating capacity, but it will also be a stunning focal point in your living room. Although it is possible for the Riva 66 to be fitted into certain 'fireplace openings', to achieve such installations the deep 'Spacer' versions of the Profil frames may be required to accommodate the extra depth of the firebox. Alternatively, this model is ideal for new-build homes, barn conversions or where major refurbishment is taking place and a larger opening can be constructed.

If you expect to burn smokeless fuel then, due to the larger firebox, a multi-fuel kit must be fitted. Not only does this decrease the amount of fuel you need to load but it also guides the fuel and cinders towards the grate for improved combustion. However, you may still burn wood with equal efficiency.

Additional information for the Riva 66 can be found overleaf.

Key Technical Data

| | |
|----------------------------------------|--------------------|
| Nominal Heat Output | 8.0kW (2.8 - 11kW) |
| Max. Efficiency | 80% |
| Max. Log Length | 450mm (17¾") |
| Flue Connection (internal diameter) | 153mm (6") |

Key Options and Accessories

| | |
|----------------------------------|-------------------------------------|
| Fire Finishes | Storm Metallic or Metallic Black |
| Fan convection kit (240v) | |
| Warm air ducting kit (2 outlets) | |
| Multi-fuel Kit* | |
| Stainless Steel Tool Holder | |
| Smoke Control Kit | |

Frames

- 3 sided, standard Profil
- 4 sided, standard Profil
- 3 sided, wide Profil
- 4 sided, wide Profil
- 3 sided Profil spacer frame†
- 4 sided Profil spacer frame†

Frame Finishes

- Storm Metallic
- Metallic Black
- Metallic Red
- Metallic Bronze
- Ivory

*For detailed technical information,
including firebox dimensions see
pages 54 - 55.*

**Required if smokeless fuel is to be used regularly - see page 55.*

†Enables the Riva 66 to fit into 350mm fireplace recesses - see page 55.



*Riva 66 with removable handle in situ and
standard 4 sided frame, both in Metallic Black.*



You can optimise the heating potential of the Riva 66 with two accessories. Firstly, a fan-assisted convection kit, which boosts warm air entering the room at the flick of a switch. Secondly, a ducting system that diffuses some of the heat to other points in the same room or into other living spaces. Or install both the fan and ducting system for ultimate heat distribution.

Both the cassette fire and frames are finished in a choice of Stovax's Storm or Metallic Black paints. There is also the option of specifying one of three exciting supplementary frame colours.

Further images of the Riva 66 are shown on pages 8 and 63.

Key Technical Data

| | |
|-------------------------------------|--------------------|
| Nominal Heat Output | 8.0kW (2.8 - 11kW) |
| Max. Efficiency | 80% |
| Max. Log Length | 450mm (17¾") |
| Flue Connection (internal diameter) | 153mm (6") |

Key Options and Accessories

| | |
|----------------------------------|----------------------------------|
| Fire Finishes | Storm Metallic or Black Metallic |
| Fan convection kit (240v) | |
| Warm air ducting kit (2 outlets) | |
| Multi-fuel Kit* | |
| Stainless Steel Tool Holder | |
| Smoke Control Kit | |

*Required if smokeless fuel is to be used regularly - see page 55.

†Enables the Riva 66 to fit into 350mm fireplace recesses - please see page 55.

Frames

- 3 sided, standard Profil
- 4 sided, standard Profil
- 3 sided, wide Profil
- 4 sided, wide Profil
- 3 sided Profil spacer frame†
- 4 sided Profil spacer frame†

Frame Finishes

- Storm Metallic
- Metallic Black
- Metallic Red
- Metallic Bronze
- Ivory

For detailed technical information, including firebox dimensions see pages 54 - 55.



RIVA | 76



A woodburning model only, the largest cassette in our range offers not only a truly panoramic view of the flames but also provides a powerful heating performance. Additionally, its larger dimensions make the Riva 76 particularly suited to new, architect-designed homes or where renovation work to a larger, existing property is being considered.

The Riva 76 is complete with an 'Opti-Burn' setting for maximum fuel efficiency. However, it can also be specified with a fan-assisted convection kit and a ducting system as an additional option. The fan-assisted convection kit provides an immediate boost of warm air into the room at the touch of a switch whilst the ducting system allows you to distribute some of the heat to other parts of the same room or to adjacent spaces.

Key Technical Data

| | |
|-------------------------------------|--------------------|
| Nominal Heat Output | 9.0kW (3.2 - 12kW) |
| Max. Efficiency | 78% |
| Max. Log Length | 510mm (20") |
| Flue Connection (internal diameter) | 153mm (6") |

Key Options and Accessories

| | |
|----------------------------------|----------------------------------|
| Fire Finishes | Storm Metallic or Black Metallic |
| Fan convection kit (240v) | |
| Warm air ducting kit (2 outlets) | |
| Stainless Steel Tool Holder | |

Frames

- 3 sided, standard Profil
- 4 sided, standard Profil
- 3 sided, wide Profil
- 4 sided, wide Profil

Frame Finishes

- Storm Metallic
- Metallic Black
- Metallic Red
- Metallic Bronze
- Ivory

For detailed technical information, including firebox dimensions see pages 54 - 55.





Riva 76 with removable handle in situ and standard 4 sided frame, both in Metallic Black.




Riva 50 with removable handle in situ in Metallic Black and wide 4 sided frame in Metallic Red. Shown with Contemporary Toolset from Stovax.

RIVA | COLOUR FRAME OPTIONS

For those who want to add a splash of colour to their living space, Stovax has introduced a range of new and vibrant colour options for the Profil frames in the Riva cassette range.

There is a choice of three eye-catching colours to choose from: Metallic Red, Metallic Bronze & Ivory. Please use the following suffix for your chosen colour:

- Metallic Red (RD),
- Metallic Bronze (BZ)
- Ivory (IV).



For example:

Profil frame for Riva 40, 3 sided, standard in Metallic Red:
RV40PRO3BRD



Riva 55 with removable handle in situ in Metallic Black and wide 3 sided frame in Ivory.



Riva 76 with removable handle in situ in Metallic Black and standard 4 sided frame in Metallic Bronze

RIVA | STOVES

Outstanding Efficiency

Stovax Riva Stoves all feature the latest cleanburn combustion systems, allowing them to burn logs or solid fuels with outstanding efficiency, resulting in more heat delivery into the room and less going up the chimney. This technological advancement is achieved by introducing pre-heated, secondary air into the firebox to burn the excess hydrocarbons in the smoke. Airwash air flow also helps keep the window clean, allowing you to enjoy the flames to the full.



Smoke Control Area Approved

Many of the Riva Stoves in this brochure are approved for the burning of logs in Smoke Control Areas (when the appropriate smoke control kit is fitted) and this is shown on the relevant product pages. Your Stovax retailer can give you further help and advice.




Riva Freestanding Key Features

1. High density, thermal brick liner system.
2. Heated air jets from cleanburn ports on all three sides burn hydrocarbons in smoke.
3. Unique stainless steel baffle (multi-fuel).
4. Two combustion control levers.
5. Unique "Opti-Burn" setting provides optimum efficiency and visual effect for woodburning.
6. Airtight door with removable stainless steel handle.
7. Convected and radiant heat.
8. Externally operated riddling grate.
9. Top or rear flue exit connecting stove to flue pipe.
10. Removable stainless steel ashpan.
11. Optional cast iron, multi-fuel kit† (not illustrated).
12. Optional stainless steel tool holder (not illustrated).
13. Optional ash caddy (not illustrated).
14. Optional stove benches (not illustrated - see page 44).



Riva Vision Key Features

1. Heavy duty steel body.
2. Airtight contemporary glass door.
3. Stainless steel baffle.
4. Heated air jets from cleanburn ports burn hydrocarbons in smoke.
5. Single lever for state-of-the-art control of cleanburn combustion and airwash system.
6. High density, thermal brick liner system.
7. Top or rear flue exit connecting stove to flue pipe.
8. Optional ceramic glass top plate.
9. Optional external air facility for draught reduction.
10. Stainless steel controls and log guard.
11. Optional decorative glass plinth.
12. Smoke control approved*.
13. Optional stove benches (not illustrated - see page 44).



Woodburning model illustrated



†Required if smokeless fuel is to be used regularly

*Requires optional Smoke Control Kit with the exception of the Midi woodburning model which is approved as standard.
Registered European Design 001169338

RIVA | STOVE SIZES



| | RIVA F40 FREESTANDING <i>(pages 32 - 33)</i> | RIVA F66 FREESTANDING <i>(pages 34 - 35)</i> | RIVA F76 FREESTANDING <i>(pages 36 - 37)</i> | RIVA VISION SMALL <i>(pages 38 - 39)</i> | RIVA VISION MIDI <i>(pages 40 - 41)</i> | RIVA VISION MEDIUM <i>(pages 42 - 43)</i> |
|------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|------------------------------------------------|--------------------------------------------------------------------|-----------------------------------------------------------------------|
| Heat Output | Nominal: 5.0kW Range: 1.7 - 7kW | Nominal: 8.0kW Range: 2.8 - 11kW | Nominal: 9.0kW Range: 3.2 - 12kW | Nominal: 5.0kW Range: 1.7 - 7kW | Nominal WB: 5kW / MF: 6.5kW Range: WB: 2.5 - 7kW MF: 2 - 9kW | Nominal: WB: 8kW / MF: 9kW Range: WB: 2.3 - 11kW MF: 3.2 - 12kW |
| Max. Efficiency | 81% | 80% | 78% | 76% | 76% | 79% |
| Wood & Multi-fuel | ✓ | ✓ | Wood | ✓ | ✓ | ✓ |
| Max. Log Length | 250mm (9¾") | 450mm (17¾") | 500mm (20") | 280mm (11") | 330mm (13") | 430mm (17") |
| Dimensions (w x h x d) | 451 x 602 x 355mm | 698 x 602 x 405mm | 788 x 663 x 409mm | 371 x 474 x 329mm | 416 x 513 x 350mm | 525 x 600 x 368mm |
| Finish Options | Black or Storm Metallic | Black or Storm Metallic | Black or Storm Metallic | Black Glass & Metallic Black | Black Glass & Metallic Black | Black Glass & Metallic Black |

Please note this information is a summary only. For further technical information please see pages 56- 57.



Riva F40 Freestanding in Metallic Black with handle removed



Riva Vision Medium Woodburning on Riva 120 Low Bench



*Riva F40 Freestanding in Metallic Black
with removable handle in situ.*

RIVA | F40 FREESTANDING



Incorporating all the latest firebox technology of the Riva 40 cassette, the Riva F40 Freestanding is a compact stove offering stylish lines and impressive heating performance. It has full multi-fuel capability (complete with 'Opti-Burn' setting), airwash to help keep the glass window clear, externally operated riddling (accessed via the special ashpit door) and a choice of top or rear flue exits.

In addition to hearth-mounting, there is a choice of ten Riva Benches available (please see pages 44 - 45 for details) to provide alternative styling options. The Riva F40 Freestanding is finished in a choice of Stovax's Storm or Metallic Black paints.

Further images of the Riva F40 Freestanding on pages 5 and 31.

Key Technical Data

| | |
|-------------------------------------|-----------------|
| Nominal Heat Output | 5kW (1.7 - 7kW) |
| Max. Efficiency | 81% |
| Max. Log Length | 250mm (9¾") |
| Flue Connection (internal diameter) | 128mm (5") |

Key Options and Accessories

Riva Stove Benches

Stainless Steel Tool Holder

Multi-fuel Kit*

Smoke Control Kit

Stove Finishes

Storm Metallic
Metallic Black

**Required if smokeless fuel is to be used regularly - see page 55.*

For detailed technical information, including firebox dimensions see pages 56 - 57.



Riva F40 Freestanding in Storm Metallic with removable handle in situ. Also shown: Chrome toolset also available from Stovax.



RIVA | F66 FREESTANDING & PEDESTAL



Riva F66 Freestanding in Storm Metallic, with removable handle in situ.



Riva F66 Pedestal in Metallic Black, with removable handle in situ.



If you are looking for the greater heating performance of the multi-fuel Riva 66 cassette, but wish to combine this with the hearth-mounted appeal of a contemporary stove, then the F66 Freestanding provides a stylish, contemporary solution.

Additionally, you can consider two options to provide you with alternative interior design choices. Firstly, the F66 Freestanding can be placed on the Riva Bench (please see pages 44 - 45 for details). Available in various sizes these benches will present a distinctive focal point whether freestanding in an open living space or positioned in a larger fireplace opening.

The second option is the Riva Pedestal which allows the F66 Freestanding to attain more of the appearance of a stove. The Pedestal is available in black only and raises the F66 stove 223mm from the floor.

Key Technical Data

| | |
|-------------------------------------|------------------|
| Nominal Heat Output | 8kW (2.8 - 11kW) |
| Max. Efficiency | 80% |
| Max. Log Length | 450mm (17¾") |
| Flue Connection (internal diameter) | 153mm (6") |

Key Options and Accessories

Riva Stove Benches

Matching 'Pedestal' Stand

Stainless Steel Tool Holder

Multi-fuel Kit*

Smoke Control Kit

Stove Finishes

Storm Metallic
Metallic Black

**Required if smokeless fuel is to be used regularly - see page 55.*

For detailed technical information, including firebox dimensions see pages 56 - 57.







RIVA | F76 FREESTANDING



Wider still than the F66, the F76 Freestanding is a woodburning appliance only. However, it has the potential to create an outstanding landscape centrepiece within larger rooms or living spaces, particularly as the airwash system helps keep the extensive window clear, allowing you to enjoy the flames to the full.

The cleanburn technology and 'Opti-Burn' setting also offers you powerful, yet efficient, heating capacity. With up to 9kW available, the prospect of warm winters in front of a real log fire awaits you.

The F76 Freestanding can be hearth-mounted or, for an alternative style and look, placed on either a 100cm, 120cm, 140cm or 180cm Riva Bench. Details of Riva Benches can be found on page 44.

Key Technical Data

| | |
|-------------------------------------|------------------|
| Nominal Heat Output | 9kW (3.2 - 12kW) |
| Max. Efficiency | 78% |
| Max. Log Length | 500mm (20") |
| Flue Connection (internal diameter) | 153mm (6") |

Key Options and Accessories

| |
|-----------------------------|
| Riva Stove Benches |
| Stainless Steel Tool Holder |

Stove Finishes

Storm Metallic
Metallic Black

For detailed technical information, including firebox dimensions see pages 56 - 57.



Riva F76 Freestanding in Metallic Black with removable handle in situ. Also shown: Ironworks toolset also available from Stovax.





Riva Vision Small Woodburning on Riva 100 High Bench with Gloss Black Flue Pipe

RIVA | VISION SMALL



The compact and sleek look of the Riva Vision Small encapsulates the defining characteristics of this range of contemporary stoves.

Featuring a stunning black glass door that gives you the best possible view of your fire, this stylish stove will give a generous heat output of up to 5.0kW. With many optional extras available such as the Ceramic Glass Top or Riva Plinth with matching glass front, your styling possibilities are extended even further.

For a compact stove, the Riva Vision Small makes a big impact.

Further image of the Riva Vision Small is shown on front cover.

Key Technical Data

| | |
|-------------------------------------|-----------------|
| Nominal Heat Output | 5kW (1.7 - 7kW) |
| Max. Efficiency | 76% |
| Max. Log Length | 280mm (11") |
| Flue Connection (internal diameter) | 128mm (5") |

Key Options and Accessories

| |
|-------------------------------------------|
| Ceramic Glass Top |
| Decorative Flue Ring Cover* |
| Riva Benches & Plinths |
| External Air Kit |
| Smoke Control Kit (Multi-fuel model only) |

Stove Finish

Black Glass and Metallic Black

** Not compatible with the optional glass top*

For detailed technical information, including firebox dimensions see pages 56 - 57.



Riva Vision Small Multi-fuel burning logs shown with Riva Glass Plinth, Ceramic Glass Top and Gloss Black Flue Pipe. Also Shown: Black tool set available from Stovax.

RIVA | VISION MIDI



Riva Vision Midi Woodburning on Riva 45 Low Bench. Shown with Stovax Illusion White Fireplace Tile Surround and Gloss Black Flue Pipe

Featuring the Vision range's signature clean, geometric form and reflective detailing, the Riva Vision Midi offers an impressive heat output of up to 5kW for the woodburning version and 6.5kW for the multi-fuel version.

here are many optional extras to enhance your Vision Midi stove, including an external air kit that allows air to be drawn from the outside and therefore minimises drafts in your room. Styling options include the choice of a gloss black flue pipe, glass top plate and plinth base.

The addition of a Riva Bench can really extend your individual styling options. Details of Riva Benches can be found on pages 44 - 45.

Key Technical Data

| | |
|-------------------------------------|------------------------------------------------|
| Nominal Heat Output | WB: 5kW (2.5 - 7kW) MF: 6.5kW (2.5 - 8.5kW) |
| Max. Efficiency | 81% |
| Max. Log Length | 330mm (13") |
| Flue Connection (internal diameter) | 128mm (5") |

Key Options and Accessories

Ceramic Glass Top

Decorative Flue Ring Cover*

Riva Benches & Plinths

External Air Kit

Smoke Control Kit (Multi-fuel model†)

Stove Finish

Black Glass and
Metallic Black

†The Riva Vision Midi Woodburning model is Smoke Control Approved as standard and does not require an additional Smoke Control Kit.

* Not compatible with the optional glass top.

For detailed technical information, including firebox dimensions see pages 56 - 57.



See additional image on front cover. Multi-fuel model is shown on page 57.



Riva Vision Midi Woodburning with Optional Glass Top
on Riva Glass Plinth with Glass Black Flue Pipe

Riva Vision Midi Woodburning with Optional Decorative Glass Plinth



*Riva Vision Medium Woodburning with Riva
Glass Plinth and Gloss Black Flue Pipe*

RIVA | VISION MEDIUM



Encompassing all the hallmarks of the Riva Vision Small and Midi, the Medium maximises the contemporary appeal of this magnificent range with its stunning, expansive flame picture and substantial heat output of up to 9.0kW.

Add to this the impressive Glass Plinth or a striking Riva Bench and you can achieve outstanding style and powerful heating potential in equal measure.

Further image of the Riva Vision Medium shown on page 31.

Key Technical Data

| | |
|-------------------------------------|------------------|
| Nominal Heat Output (Woodburner) | 8kW (2.3 - 11kW) |
| (Multi-fuel) | 9kW (3.2 - 12kW) |
| Max. Efficiency | 79% |
| Max. Log Length | 430mm (17") |
| Flue Connection (internal diameter) | 152mm (6") |

Key Options and Accessories

Ceramic Glass Top

Decorative Flue Ring Cover*

Riva Benches & Plinths

External Air Kit

Smoke Control Kit (Multi-fuel model only)

Stove Finish

Black Glass and Metallic Black

** Not compatible with the optional glass top*

For detailed technical information, including firebox dimensions see pages 56 - 57.



Riva Vision Medium Woodburning on Riva 100 High Bench with Gloss Black Flue Pipe

RIVA | BENCHES



To assist designers and homeowners in creating a flexible alternative to the 'on hearth' mounting of Riva Freestanding and Riva Vision stoves, Stovax offers ten sizes of Bench to which the stoves may be secured.

Standing 250 or 350mm high with a sturdy steel construction and a durable black finish, you can not only match the Bench to the space available but also accommodate individual styling requirements. For example, appliances can be positioned centrally on the Bench or offset to one side. Finished in a durable Matt Black the Riva Benches can provide either the perfect complement or create a striking contrast depending on your stove colour choice.

The lengths available are 45cm, 100cm, 120cm, 140cm and 180cm with a depth of 420mm (the 180 Bench has a depth of 465mm), and the legs are each 60mm wide.



45 High*
RVACB45B



100 High
RVACB100B



120 High
RVACB120B



140 High
RVACB140B



45 Low*
RVACLB45B



100 Low
RVACLB100B



120 Low
RVACLB120B



140 Low
RVACLB140B



180 High
RVACB180B



180 Low
RVACLB180B

Dimensions (w x h x d)

High Benches: 450/1000/1200/1400/1800 x 350 x 420/465mm

Low Benches: 450/1000/1200/1400/1800 x 250 x 420/465mm

Key Facts

| | |
|------------------------------------------------|---|
| Sturdy steel construction | ✓ |
| Choice of 4 widths and 2 heights | ✓ |
| Durable Matt Black finish | ✓ |
| Proportioned 60mm wide legs | ✓ |
| Allows for central or offset stove positioning | ✓ |

*Only suitable for the Riva F40 Freestanding, Riva Vision Small & Riva Vision Midi



Riva F76 Freestanding in Metallic Black on Riva 120 High Bench

RIVA | OPEN CONVECTOR FIRES

Improved Heating Performance

Everyone loves the warmth and atmosphere of an open fire with dancing flames, crackling logs or glowing coals. Unfortunately, open fires are not always very efficient at heating your room. An exception to this, the latest Riva Open Convector fires from Stovax provide you with the best of both worlds – a real open fire yet with a heating efficiency double that of a normal grate or hearth mounted appliance. This is because the Riva Open has been designed to produce warm convected air as well as radiant heat.


Versions for most chimneys

Suitable for most homes (if your house has a chimney* you can almost certainly install a Riva Open), these versatile convector fires are available in five widths and two different heights so that they may be fitted into a wide variety of fireplace types and heat rooms of different proportions. There is also a choice of decorative styles to complement both traditional and contemporary interiors.

**Conforming to Building Regulations for solid fuels. If unsure, please check with your Stovax retailer.*

Key Design Features

1. Cooler air drawn in
2. Specially designed convection chambers
3. Warmed convected air flows into room
4. Design allows chimney to be swept
5. Removable multi-grate & damper control tool
6. Removable tray/pan for disposal of ash/cinders
7. Dual skin construction in heavy gauge steel



Convector Efficiency

Riva Open Convector fires have been specially designed to draw in cooler, ambient air and heat it in the convection chambers positioned either side and behind the visible 'firebox'. The warmed air passes out into the room through the top air vent, adding to the radiant heat emitted by the fire. Furthermore, there is an air control (operated by a removable handle) which allows you to have maximum draught for lighting the fire but, once ablaze, an even more efficient burn can be achieved by reducing the air flow. This control can also be partially closed when the fire is out to reduce down draughts from the chimney.



Riva Open 16 Arts with black Holyrood front.
Shown here with Pembroke surround (3567WW) which is also available from Stovax.





RIVA | OPEN TRADITIONAL



Not just a model but a range in itself, the Riva Open Traditional Convector are available in five widths and two heights to suit the broadest possible variety of fireplace types and living spaces. Furthermore, the subtle styling allows the Riva Open Traditional to blend easily with any style of fireplace from mellow stone to rustic brick and from classic marble to polished slate, so the opportunities to create a distinctive focal point in your home are immense.

For the burning of smokeless fuels there is a cast iron grate/ashpan whilst for woodburning you need to select a log tray together with your choice of log retainer front.

Frame information for the Riva Open Traditional range can be found overleaf.

For those who desire a traditional period aesthetic, there are a range of Victorian and Art Nouveau Tiled Convector Fireplaces from Stovax, rich in authentic detail, available in a selection of finishes and each utilising the same firebox technology as the Riva Open Convector range. For further details, please see the separate 'Classic Fireplaces' brochure which can be requested from your local retailer or can be viewed online at www.stovax.com.



Riva Open 16 Arts with cast iron basket.



Art Nouveau Convector Fireplace in Fully Polished Finish with 10 Purple Flag tiles and Pembroke White mantel available from Stovax.

| Fire Size | Nominal Heat Output | Maximum Log Length (Cast Iron Basket) | Maximum Log Length (Log Tray) | Low Lintel Options |
|---------------|---------------------|---------------------------------------|-------------------------------|--------------------|
| Riva Open 16" | 4.0kW | 215mm (8 ½") | 320mm (12 ⅝") | ✓ |
| Riva Open 22" | 6.5kW | 365mm (8 ⅝") | 470mm (18 ½") | ✓ |
| Riva Open 24" | 8.0kW | 465mm (8 ¼") | 530mm (20 ⅞") | ✓ |
| Riva Open 26" | 9.0kW | - | 570mm (22 ½") | ✓ |
| Riva Open 28" | 10.0kW | - | 630mm (24 ¾") | ✗ |

For additional options and technical information, including firebox dimensions see pages 56 - 57.

*For more information on Stovax Classic Tiled Convector Fireplaces please see Stovax's separate Classic Fireplaces brochure or speak to your Expert Retailer, alternatively you can visit www.stovax.com

RIVA | OPEN TRADITIONAL



Riva 22 Open Convector with black Holyrood front.

Additional personalisation of your Riva Open fire can be achieved with Profil clip-on frames. These are available in a choice of brass or brushed steel for most sizes of Riva Open Convector.

Additionally there is the Riva 16 Arts Open Convector which echoes the look of the 1920's & 30's with a beautifully curved frame that is finished in a subtle Matt Black to complement perfectly your choice of Holyrood or Portcullis front for a superb log burning fire. Alternatively, select the cast basket for burning smokeless fuels.


The Riva Open Traditional is finished in timeless Matt Black.

Further image on page 46.

| Front Options | 16" | 22" | 24" | 26" | 28" |
|--------------------------------------------|-------|-------|---------|-------|---------|
| Cast Iron Basket (required for multi-fuel) | 8686 | 8687 | Use 22" | 8688 | Use 26" |
| Ashpan (required for multi-fuel) | 8652 | 8653 | Use 22" | 8654 | Use 26" |
| Black Holyrood front with log tray* | 8627 | 8628 | 8629 | 8630 | N/A |
| Polished Holyrood front with log tray* | 8627P | 8628P | 8629P | 8630P | N/A |
| Portcullis front with log tray* | 8678 | 8666 | 8667 | 8668 | 8669 |
| Castle front with log tray* | N/A | 8623 | 8624 | 8625 | N/A |

| Frame Options | 16" | 22" | 24" | 26" | 28" |
|--------------------------------------------|--------|--------|--------|--------|--------|
| Profil Brass - standard height | 8633 | 8635 | 8637 | 8639 | 8626 |
| Profil Brass - low lintel | 8674 | 8636 | 8638 | 8640 | N/A |
| Profil Brushed Stainless - standard height | 8633BS | 8635BS | 8637BS | 8639BS | 8626BS |
| Profil Brushed Stainless - low lintel | 8674BS | 8636BS | 8638BS | 8640BS | N/A |
| Arts Matt Black | 8700 | N/A | N/A | N/A | N/A |

For additional options and technical information, including firebox dimensions see pages 58 - 59.



RIVA | OPEN CONTEMPORARY



Riva Open 22 Contemporary with square frame and log tray with 3 bar log retainer (NB - Please see installation information on page 59).

Create a larger and distinctly modern look for your living space with the impressive Riva Open Contemporary. Choose from the Riva 16 with a rectangular frame or, alternatively, opt for the wider Riva 22 and Riva 26 versions which come with both square and rectangular frame styles.

All sizes can be specified for use with smokeless fuels or for the burning of seasoned logs and have a choice of two different log retainers to suit your styling preferences. Plus there's an optional clip-in sparkguard for peace of mind when the fire is left unattended. The Riva Open Contemporary is finished in Matt Black.

Further image on page 49.

| Fire Sizes | 16" | 22" | 26" |
|---------------------|-----------------|-----------------|-----------------|
| Nominal Heat Output | 4.0kW | 6.5kW | 9.0kW |
| Max. Log Length | 320mm (12½") | 470mm (18½") | 570mm (22½") |

| Frame Options | | | |
|---------------------------|------|------|------|
| Steel frame - rectangular | 8730 | 8732 | 8736 |
| Steel frame - square | N/A | 8733 | 8737 |


For additional options and technical information, including firebox dimensions see pages 58 - 59.




Riva Open 26 Contemporary with rectangular frame and log tray with 3 bar log retainer. (NB - Please see installation information on page 58).

RIVA CASSETTES | TECHNICAL INFORMATION

OPENING DIMENSIONS



RIVA CASSETTE DIMENSIONS



| (all dimensions in mm) | Riva 40 | Riva 45 | Riva 50 | Riva 55 | Riva 66 | Riva 76 |
|----------------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| A | 400 | 400 | 540 | 540 | 650 | 760 |
| B | 550 | 660 | 550 | 660 | 550 | 630 |
| C | 350 | 350 | 350 | 350 | 395 | 395 |
| D | 492 | 492 | 632 | 632 | 742 | 862 |
| E | 599 | 709 | 599 | 709 | 599 | 678 |
| F | 234 | 234 | 234 | 234 | 248 | 248 |
| G | N/A | N/A | 360 | 360 | 420 | 540 |
| H Ø | 128 | 128 | 128 | 128 | 153 | 153 |
| J | - | - | - | - | - | - |
| K | N/A | N/A | N/A | 234 | 248 | 208 |
| L | 410 | 410 | 550 | 550 | 660 | 760 |
| M | 560 | 670 | 560 | 670 | 560 | 640 |
| N | 355 | 360 | 360 | 355 | 405* | 405* |
| Flame Viewing Area (w x h) | 269 x 325 | 269 x 435 | 409 x 325 | 409 x 435 | 503 x 325 | 590 x 375 |
| Weight | 80kg | 80kg | 80kg | 100kg | 110kg | 125kg |

*Dimension N may be reduced to 355mm when using Profil or Avanti box spacer frame. (3 sided RV66PRO3D/B & RV76PRO3D/B; 4 sided RV66PRO4D/B, RV76PRO4D/B for Riva cassettes)

†Extra height required when fitting Warm Air Ducting kit.

Please note the minimum distance to combustible materials for the Riva cassettes is 300mm, with the exception of the Riva 76 for which you should allow 150mm.

For full details please refer to the installation manual.

RIVA CASSETTES FRAME DIMENSIONS (MM)

| Product Code | Description | Height | Width |
|----------------|-----------------------------|--------|-------|
| Riva 40 | | | |
| RV40PRO3/B | 3 Sided, Standard | 599 | 492 |
| RV40PRO3W/B | 3 Sided, Wide | 646 | 586 |
| RV40PRO4/B | 4 Sided, Standard | 645 | 492 |
| RV40PRO4W/B | 4 Sided, Wide | 739 | 586 |
| Riva 45 | | | |
| RV45PRO3/B | 3 Sided, Standard | 709 | 492 |
| RV45PRO3W/B | 3 Sided, Wide | 756 | 586 |
| RV45PRO4/B | 4 Sided, Standard | 755 | 492 |
| RV45PRO4W/B | 4 Sided, Wide | 849 | 586 |
| Riva 50 | | | |
| RV50PRO3/B | 3 Sided, Standard | 599 | 632 |
| RV50PRO3W/B | 3 Sided, Wide | 646 | 726 |
| RV50PRO4/B | 4 Sided, Standard | 645 | 632 |
| RV50PRO4W/B | 4 Sided, Wide | 739 | 726 |
| Riva 55 | | | |
| RV55PRO3/B | 3 Sided, Standard | 709 | 632 |
| RV55PRO3W/B | 3 Sided, Wide | 756 | 726 |
| RV55PRO4/B | 4 Sided, Standard | 755 | 632 |
| RV55PRO4W/B | 4 Sided, Wide | 849 | 726 |
| Riva 66 | | | |
| RV66PRO3/B | 3 Sided, Standard | 599 | 742 |
| RV66PRO3W/B | 3 Sided, Wide | 645 | 836 |
| RV66PRO3D/B | 3 Sided Spacer ⁹ | 599 | 742 |
| RV66PRO4/B | 4 Sided, Standard | 645 | 742 |
| RV66PRO4W/B | 4 Sided, Wide | 739 | 836 |
| RV66PRO4D/B | 4 Sided Spacer ⁹ | 645 | 742 |
| Riva 76 | | | |
| RV76PRO3/B | 3 Sided, Standard | 678 | 862 |
| RV76PRO3W/B | 3 Sided, Wide | 728 | 962 |
| RV76PRO3D/B | 3 Sided Spacer ⁹ | 678 | 862 |
| RV76PRO4/B | 4 Sided, Standard | 830 | 962 |
| RV76PRO4W/B | 4 Sided, Wide | 730 | 862 |
| RV76PRO4D/B | 4 Sided Spacer ⁹ | 730 | 862 |

A HETAS approved installer should undertake a site survey prior to purchase and must install any Riva Cassette Fire or Stove. Your Stovax retailer will be able to advise on this and, in particular, the use of high temperature (1300°C) plaster/screed in the area around Riva Cassettes and Stoves. You may view/download complete installation instructions at our website - www.stovax.com. These diagrams cover some of the basic requirements. All fires and stoves should be installed by a competent person to the requirement of Building Regulations (Document J) and include the fitting of adequate ventilation to ensure safe use. Usually older buildings do not need any additional ventilation for appliances up to 5kW, but modern houses will need additional ventilation in all cases. Some models can be fitted with an optional External Air Kit, or dedicated external air supply, offering a discreet and draught reducing solution to standard room venting. The diagrams and dimensions on these pages cover some of the basic requirements and are for initial information purposes only.

RIVA CASSETTES INFORMATION & PRODUCT CODES

| Product Code | Description | Heat Output | Fuel Type | Efficiency |
|--------------|--------------------------------|-------------|------------|------------|
| RV40 | Riva 40 Cassette (Storm) ✓ | 5.0kW | Multi-fuel | 82% |
| RV40B | Riva 40 Cassette (Jet Black) ✓ | 5.0kW | Multi-fuel | 82% |
| RV45 | Riva 45 Cassette (Storm) ✓ | 5.0kW | Multi-fuel | 83% |
| RV45B | Riva 45 Cassette (Jet Black) ✓ | 5.0kW | Multi-fuel | 83% |
| RV50 | Riva 50 Cassette (Storm) ✓ | 7.0kW | Multi-fuel | 83% |
| RV50B | Riva 50 Cassette (Jet Black) ✓ | 7.0kW | Multi-fuel | 83% |
| RV55 | Riva 55 Cassette (Storm) ✓ | 8.0kW | Multi-fuel | 84% |
| RV55B | Riva 55 Cassette (Jet Black) ✓ | 8.0kW | Multi-fuel | 84% |
| RV66 | Riva 66 Cassette (Storm) ✓ | 8.0kW | Multi-fuel | 80% |
| RV66B | Riva 66 Cassette (Jet Black) ✓ | 8.0kW | Multi-fuel | 80% |
| RV76 | Riva 76 Cassette (Storm) | 9.0kW | Wood | 78% |
| RV76B | Riva 76 Cassette (Jet Black) | 9.0kW | Wood | 78% |

✓ These models are approved for use in Smoke Control Areas when fitted with an optional Smoke Control Kit.

RIVA CASSETTE ACCESSORY PRODUCT CODES

| | |
|---------|----------------------------------------------------------------------------------|
| RVAC001 | Stainless Steel Tool Holder for Riva 40, 45, 50, 55, 66 & 76 |
| 8900 | Cast Iron Reeded Back Panel for Riva 40 |
| RV55FK | Fan-assisted convection circulation kit (240v) for Riva 50 & 55 (Storm Metallic) |
| RV55BFK | Fan-assisted convection circulation kit (240v) for Riva 50 & 55 (Metallic Black) |
| RV66FK | Fan-assisted convection circulation kit (240v) for Riva 66 (Storm Metallic) |
| RV66BFK | Fan-assisted convection circulation kit (240v) for Riva 66 (Metallic Black) |
| RV76FK | Fan-assisted convection circulation kit (240v) for Riva 76 (Storm Metallic) |
| RV76BFK | Fan-assisted convection circulation kit (240v) for Riva 76 (Metallic Black) |
| 8572 | Warm air ducting kit for Riva 50, 55, 66 & 76 |

Smoke Control Area Kits

| | |
|-----------|--------------------------------------|
| RV40SCKIT | Smoke Control Kit for Riva 40 and 45 |
| RV55SCKIT | Smoke Control Kit for Riva 50 and 55 |
| RV66SCKIT | Smoke Control Kit for Riva 66 |

Multi-fuel Kits*

*Required if smokeless fuel is to be used regularly

| | |
|----------|-----------------------------------|
| RVAC082* | Multi-fuel kit for Riva 40 and 45 |
| RVAC101* | Multi-fuel kit for Riva 50 and 55 |
| RVAC002* | Multi-fuel kit for Riva 66 |

Ash Caddies

| | |
|------|------------------------------------------|
| 4227 | Ash Caddy for Riva 40, 45, 50, 55 and 66 |
| 4229 | Ash Caddy for Riva 76 |

RIVA CASSETTE PROFIL SPACER FRAMES


Like all Riva cassettes the Riva 66 and Riva 76™ fires can be fitted into a 350mm fireplace recess. However to achieve such an installation the innovative Profil Spacer Frame shown below should be used to accommodate the additional depth of the firebox. Please note the spacer frame is not available as a Wide Profil frame.



Standard (7mm deep)



Spacer Frame (50mm deep)




WARM AIR DUCTING KIT FOR RIVA CASSETTES

The kit, for the cassettes only, includes two 3 metre lengths of flexible ducting, allowing you to distribute up to half of the heat output to two other living spaces, extending the heating potential throughout your home.

MULTI-FUEL KIT FOR RIVA CASSETTES AND FREESTANDING STOVES

If you expect to burn smokeless fuels with a Riva Cassette or Riva Freestanding stove then you will need to fit the Multi-fuel Kit. By placing the cast iron guides into the base of the firebox, you will decrease the amount of fuel you need to load and allow the fuel and cinders to fall towards the grate for improved combustion. However, you may still burn logs with equal efficiency.




STAINLESS STEEL TOOL HOLDER FOR RIVA CASSETTES AND FREESTANDING STOVES

A handy place to hold both your ash pan tool and door opening tool, the optional tool holder can be either hearth or wall mounted and, being crafted from high grade stainless steel, is the perfect complement to the contemporary styling of the Riva Cassette and Stove ranges.



RIVA STOVES | TECHNICAL INFORMATION


RIVA FREESTANDING



RIVA FREESTANDING DIMENSIONS *

| (all dimensions in mm) | Riva F40 Freestanding | Riva F66 Freestanding | Riva F76 Freestanding |
|----------------------------|-----------------------|-----------------------|-----------------------|
| A | 451 | 698 | 788 |
| B | 602 | 602 | 663 |
| B (with plinth) | - | - | - |
| C | 355 | 405 | 409 |
| D | - | - | - |
| E | 119 | 153 | 145 |
| F | - | - | - |
| G | - | - | - |
| H Ø | 128 | 153 | 153 |
| J | - | - | - |
| K | - | - | - |
| M | 458 | 442 | 480 |
| M (with plinth) | - | - | - |
| Flame Viewing Area (w x h) | 268 x 322 | 503 x 325 | 590 x 375 |
| Weight | 82kg | 100kg | 125kg |


RIVA F66 PEDESTAL



RIVA F66 PEDESTAL DIMENSIONS

| Riva F66 Pedestal |
|-------------------|
| 699 |
| 826 |
| - |
| 420 |
| 766 |
| 603 |
| 150 |
| 405 |
| 153 |
| 15 |
| - |
| - |
| - |
| 503 x 325 |
| 114kg |

RIVA VISION



RIVA VISION DIMENSIONS *

| Riva Vision Small | Riva Vision Midi | Riva Vision Medium |
|-------------------|----------------------------------------|-----------------------------------------|
| 371 | 416 | 525 |
| 474 | 513 | 600 |
| 524 | 613 | 750 |
| 329 | 350 | 368 |
| 109 | 109 | 122 |
| 441 (door) | 470 (door) | 553 (door) |
| 236 | 246 | 309 |
| 261 | 316 | 408 |
| 128 | 128 | 153 |
| - | - | - |
| - | - | - |
| 385 | 425 | 496 |
| 435 | 525 | 646 |
| 261 x 236 | 316 x 246 | 408 x 309 |
| 62kg | 70kg (Woodburner) 90kg (Multi-fuel) | 93kg (Woodburner) 118kg (Multi-fuel) |

* For stove benches to go with the Freestanding models, please see pages 44 - 45.

A HETAS approved installer should undertake a site survey prior to purchase and must install any Riva Cassette Fire or Stove. Your Stovax retailer will be able to advise on this and, in particular, the use of high temperature (1300°C) plaster/screed in the area around Riva Cassettes and Stoves. You may view/download complete installation instructions at our website - www.stovax.com. These diagrams cover some of the basic requirements. All fires and stoves should be installed by a competent person to the requirement of Building Regulations (Document J) and include the fitting of adequate ventilation to ensure safe use. Usually older buildings do not need any additional ventilation for appliances up to 5kW, but modern houses will need additional ventilation in all cases. Some models can be fitted with an optional External Air Kit, or dedicated external air supply, offering a discreet and draught reducing solution to standard room venting. The diagrams and dimensions on these pages cover some of the basic requirements and are for initial information purposes only.

RIVA STOVE INFORMATION AND PRODUCT CODES

| Product Code | Description | | Heat Output | Fuel Type | Efficiency |
|--------------|----------------------------------------|---|-------------|------------|------------|
| RVF40C | Riva F40 Freestanding (Storm Metallic) | ✓ | 4.9kW | Multi-fuel | 81% |
| RVF40CB | Riva F40 Freestanding (Metallic Black) | ✓ | 4.9kW | Multi-fuel | 81% |
| RVF66 | Riva F66 Freestanding (Storm Metallic) | ✓ | 8.0kW | Multi-fuel | 80% |
| RVF66B | Riva F66 Freestanding (Metallic Black) | ✓ | 8.0kW | Multi-fuel | 80% |
| RVF76 | Riva F76 Freestanding (Storm Metallic) | | 9.0kW | Wood | 78% |
| RVF76B | Riva F76 Freestanding (Metallic Black) | | 9.0kW | Wood | 78% |
| RVN-SMW | Riva Vision Small (Woodburner) | | 5.0kW | Wood | 74% |
| RVN-SMM | Riva Vision Small (Multi-fuel) | ✓ | 5.0kW | Multi-fuel | 76% |
| RVN-MIDW-2 | Riva Vision Midi (Woodburner) | ✓ | 5.0kW | Wood | 81% |
| RVN-MIDM | Riva Vision Midi (Multi-fuel) | ✓ | 6.5kW | Multi-fuel | 76% |
| RVN-MEDW | Riva Vision Medium (Woodburner) | | 8.0kW | Wood | 73% |
| RVN-MEDM | Riva Vision Medium (Multi-fuel) | ✓ | 9.0kW | Multi-fuel | 79% |

✓ These models are approved for use in Smoke Control Areas when fitted with an optional Smoke Control Kit.

✓ This model is approved for use in Smoke Control Areas as standard and doesn't require a Smoke Control Kit.



Riva Vision Midi Multi-fuel burning logs shown with Riva Glass Plinth and Ceramic Glass Top

RIVA STOVES ACCESSORY PRODUCT CODES

| | |
|------------|-------------------------------------------------------------------|
| RVAC001 | Stainless Steel Tool Holder for Riva F40, F66 & F76 (see page 55) |
| RVAC150B† | Decorative Flue Ring Cover for Riva Vision Small & Midi |
| RVAC220B† | Decorative Flue Ring Cover for Riva Vision Medium |
| RVN-SMGB | Ceramic Glass Top Plate (top flue) for Riva Vision Small |
| RVN-SMGBR | Ceramic Glass Top Plate (rear flue) for Riva Vision Small |
| RVN-MIDGB | Ceramic Glass Top Plate (top flue) for Riva Vision Midi |
| RVN-MIDGBR | Ceramic Glass Top Plate (rear flue) for Riva Vision Midi |
| RVN-MEDGB | Ceramic Glass Top Plate (top flue) for Riva Vision Medium |
| RVN-MEDGBR | Ceramic Glass Top Plate (rear flue) for Riva Vision Medium |

Smoke Control Area Kits

| | |
|---------------|-------------------------------------------------------|
| RV40SCKIT | Smoke Control Kit for Riva F40 |
| RV66SCKIT | Smoke Control Kit for Riva F66 |
| RVN-SMMSCKIT | Smoke Control Kit for Riva Vision Small (Multi-fuel) |
| RVN-MIDMSCKIT | Smoke Control Kit for Riva Vision Midi (Multi-fuel) |
| RVN-MEDMSCKIT | Smoke Control Kit for Riva Vision Medium (Multi-fuel) |

Multi-fuel Kits For Riva Freestanding Stoves* (see page 55 for further information)

| | | |
|----------|-----------------------------|--------------------------------------|
| RVAC082* | Multi-fuel kit for Riva F40 | See page 55 for further information. |
| RVAC002* | Multi-fuel kit for Riva F66 | See page 55 for further information. |

External Air Kits for Riva Vision Stoves

| | |
|------------|-----------------------------------------|
| RVN-SMAIR | External Air Kit for Riva Vision Small |
| RVN-MIDAIR | External Air Kit for Riva Vision Midi |
| RVN-MEDAIR | External Air Kit for Riva Vision Medium |

Ash Caddies


| | |
|------|---------------------------------------------------------------------|
| 4227 | Ash Caddy for Riva F40, F66, Riva Vision Small and Riva Vision Midi |
| 4228 | Ash Caddy for Riva Vision Medium |
| 4229 | Ash Caddy for Riva 76 |

*Required if smokeless fuel is to be used regularly

† Not compatible with the optional glass top


RIVA VISION GLASS PLINTH FEATURES

- Sturdy steel construction with durable matching black finish
- Small, Midi & Medium sizes compatible respectively
- Glass front matching the Riva Vision door
- Small: 371 x 50 x 311mm (WxHxD)
- Midi: 416 x 100 x 331mm (WxHxD)
- Medium: 525 x 150 x 349mm (WxHxD)



RIVA OPEN FIRES | INFORMATION

A HETAS approved installer should undertake a site survey prior to purchase and must install any Riva Open Convector Fire. Your Stovax retailer will be able to advise on this and, in particular, the use of high temperature (1300°C) plaster/screed in the area around the fire. You may view/download complete installation instructions at our website - www.stovax.com. These diagrams cover some of the basic requirements. All fires and stoves should be installed by a competent person to the requirement of Building Regulations (Document J) and include the fitting of adequate ventilation to ensure safe use. Usually older buildings do not need any additional ventilation for appliances up to 5kW, but modern houses will need additional ventilation in all cases.



OPEN CONVECTOR FIRE DIMENSIONS

| (all dimensions in mm) | 16" | 16" Low | 22" | 22" Low | 24" | 24" Low | 26" | 26" Low | 28" |
|------------------------|------|---------|------|---------|------|---------|------|---------|------|
| A | 420 | 420 | 570 | 570 | 620 | 620 | 670 | 670 | 720 |
| B | 560 | 510 | 620 | 560 | 620 | 560 | 620 | 560 | 620 |
| C | 360 | 360 | 360 | 360 | 360 | 360 | 360 | 360 | 360 |
| D | 474 | 474 | 624 | 624 | 674 | 674 | 724 | 724 | 774 |
| E | 592 | 542 | 652 | 592 | 652 | 592 | 652 | 592 | 652 |
| Weight | 62kg | 59kg | 83kg | 76kg | 86kg | 81kg | 89kg | 86kg | 97kg |

RIVA TRADITIONAL & ARTS PRODUCT CODES

| | 16" | 22" | 24" | 26" | 28" |
|---------------------------------------|------|------|------|------|------|
| Riva Open Convector - standard height | 8610 | 8604 | 8606 | 8608 | 8673 |
| Riva Open Convector - low lintel | 8611 | 8605 | 8607 | 8609 | N/A |

Front/grate options

| | | | | | |
|--------------------------------------------|-------|-------|---------|-------|---------|
| Cast iron basket (required for multi-fuel) | 8686 | 8687 | Use 22" | 8688 | Use 26" |
| Ashpan (required for multi-fuel) | 8652 | 8653 | Use 22" | 8654 | Use 26" |
| Black Holyrood front with log tray† | 8627 | 8628 | 8629 | 8630 | N/A |
| Polished Holyrood front with log tray† | 8627P | 8628P | 8629P | 8630P | N/A |
| Portcullis front with log tray† | 8678 | 8666 | 8667 | 8668 | 8669 |
| Castle front with log tray† | N/A | 8623 | 8624 | 8625 | N/A |

Frame options

| | | | | | |
|--------------------------------------------|--------|--------|--------|--------|--------|
| Profil Brass - standard height | 8633 | 8635 | 8637 | 8639 | 8626 |
| Profil Brass - low lintel | 8674 | 8636 | 8638 | 8640 | N/A |
| Profil Brushed Stainless - standard height | 8633BS | 8635BS | 8637BS | 8639BS | 8626BS |
| Profil Brushed Stainless - low lintel | 8674BS | 8636BS | 8638BS | 8640BS | N/A |
| Arts Matt Black | 8700 | N/A | N/A | N/A | N/A |

Other options

| | | | | | |
|---------------------------------------|------|------|------|------|------|
| Clip-in sparkguard - standard height* | 8690 | 8691 | 8692 | 8693 | 8694 |
| Clip-in sparkguard - low lintel* | 8695 | 8696 | 8697 | 8698 | N/A |
| Standard flue gather | N/A | 8658 | 8659 | 8660 | 8661 |
| Offset flue gather | N/A | 8663 | 8664 | 8665 | 8662 |

RIVA CONTEMPORARY PRODUCT CODES

| | 16" | 22" | 26" |
|---------------------------------------|------|------|------|
| Riva Open Convector - standard height | 8610 | 8604 | 8608 |

Frame options

| | | | |
|---------------------------|------|------|------|
| Steel Frame - rectangular | 8730 | 8732 | 8736 |
| Steel Frame - square | N/A | 8733 | 8737 |

Tray options

| | | | |
|-----------------|------|------|------|
| Multi-fuel tray | 8705 | 8710 | 8720 |
| Log tray | 8706 | 8711 | 8721 |

Log retainer options

| | | | |
|-----------------------------------------|------|------|------|
| 4 bar log retainer (multi-fuel) | 8708 | 8713 | 8723 |
| 3 bar log retainer (wood only) | 8707 | 8712 | 8722 |
| Solid log retainer (wood or multi-fuel) | 8709 | 8714 | 8724 |

Other options

| | | | |
|----------------------|------|------|------|
| Clip-in sparkguard | 8740 | 8741 | 8743 |
| Standard flue gather | N/A | 8658 | 8660 |
| Offset flue gather | N/A | 8663 | 8665 |

*Can be used with Holyrood front options, but as freestanding only

† For woodburning only

RIVA OPEN TRADITIONAL FRONTS



Portcullis front




Castle front



Holyrood polished front
(NB: Black version of Holyrood features brass finials - see page 50)

FLUE GATHERERS



Aid installation by allowing Riva Open Convector Fires to be connected to 200mm enamelled twin-wall or flexible insulated flue pipe. Available in standard (central outlet) or offset versions to suit site conditions.

RIVA OPEN FRAME DIMENSIONS

| Product Code | Description | Height (mm) | Width (mm) |
|----------------------------|----------------|-------------|------------|
| Traditional Frames | | | |
| 8633/BS | Profil 16 | 595 | 489 |
| 8674/BS | Profil 16L | 545 | 489 |
| 8635/BS | Profil 22 | 655 | 639 |
| 8636/BS | Profil 22L | 595 | 639 |
| 8637/BS | Profil 24 | 655 | 689 |
| 8638/BS | Profil 24L | 595 | 689 |
| 8639/BS | Profil 26 | 655 | 739 |
| 8640/BS | Profil 26L | 595 | 739 |
| 8626/BS | Profil 28 | 655 | 789 |
| Arts Frame | | | |
| 8700 | Arts 16 | 595 | 481 |
| Contemporary Frames | | | |
| 8730 | Rectangular 16 | 637 | 850 |
| 8732 | Rectangular 22 | 700 | 1280 |
| 8736 | Rectangular 26 | 720 | 1380 |
| 8733 | Square 22 | 700 | 765 |
| 8737 | Square 26 | 800 | 865 |

OPTIONAL LOG RETAINERS

With the Riva Open Contemporary, you have a choice of log retainer styles.



3 bar log retainer (wood only)



4 bar log retainer (multi-fuel only)



Solid log retainer (wood & multi-fuel)

SPARKGUARDS



Clip-in sparkguards. For security and peace of mind when the Riva Open is left unattended, these guards will help to prevent sparks from entering the room.

Please note: the above image shows a Riva Traditional Sparkguard.

FURTHER | INFORMATION

Extended Warranty and Safety Details

When you choose a Stovax cassette or freestanding fire, quality and technology are assured. Accordingly, your Stovax retailer Stovax Expert Retailer will provide you with a Two Year Warranty for your new cassette or freestanding fire. This can then be extended to a five year year warranty, provided it is registered with Stovax within one month of the later of the purchase date or installation date. Accordingly, the start date for the warranty period is the date of purchase. During the registration process the Expert Retailer details will be required for your Extended Warranty to be activated. Please note, these warranties exclude certain consumable parts. Fires purchased outside of Stovax's Expert Retailer Network will carry a standard 12 month non-extendable warranty. Full warranty terms & conditions are available to view at www.stovax.com

Stovax pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations and amendments. Exact product details should be discussed with your retailer at the time of purchase.

Please note that all parts of these fires, particularly the glass panel in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm.



Riva 50 with standard 4 sided frame in Metallic Black with removable handle in situ.

Professional XQ™ Chimney Systems and Enamelled Flue Pipe

Stovax also offers a comprehensive range of stove and fireplace chimney systems: the Stovax Professional XQ™ collection. Crafted from 304L grade stainless steel for a durable outer finish, the fully sealed components offer water tight protection for the insulation within.



With innovative decorative options, the ability to specify a colour for your system and with a host of technical advancements such as their Twist-Lock system, the Professional XQ™ range provides an attractive, versatile and reliable solution for your flue system. Furthermore, the Professional XQ™ range carries a 10 year conditional warranty offering complete peace of mind. For further information or to request a brochure, simply contact your local retailer or visit www.stovax.com/chimneysystems.



ENAMELLED FLUE PIPE PRODUCT CODES

| Description | 128mm (5") Diameter | 153mm (6") Diameter |
|-----------------------------------------------------|---------------------|---------------------|
| Matt Black Flue Pipe | | |
| 1' (305mm) straight without door | 4500 | 4600 |
| 1' (305mm) straight with door | 4504 | 4604 |
| 2' (610mm) straight without door | 4501 | 4601 |
| 2' (610mm) straight with door | 4505 | 4605 |
| 3' (915mm) straight without door | 4502 | 4602 |
| 3' (915mm) straight with door | 4506 | 4606 |
| 1'3" - 2'1" (380 - 635mm) telescopic without door | 4542 | 4642 |
| 3'4" - 4'6" (1015 - 1370mm) telescopic without door | 4540 | 4640 |
| 90° tee piece with end cap (for rear exit) | 4516 | 4616 |
| Gloss Black Flue Pipe | | |
| 1' (305mm) straight without door | 4500GB | 4600GB |
| 2' (610mm) straight without door | 4501GB | 4601GB |
| 3' (915mm) straight without door | 4502GB | 4602GB |
| 90° tee piece with end cap (for rear exit) | 4516GB | 4616GB |



Photography and Installation

Owing to variations in studio lighting and printing inks, the finishes/colours of fires illustrated in this brochure may differ slightly from actual models. Before purchasing, please ask your retailer to show you finish/colour samples.

All of the flame pictures shown in this brochure are taken from real fires. Please note however that flame pictures will vary depending on the exact fuel used, flue conditions and surrounding geographical features. Given that building regulations are subject to constant change, some of the photography in this brochure may not comply with the requirements of the latest Building Regulations and you should always check your proposed installation arrangement with your HETAS trained installer before proceeding.

When designing your own installation, please also observe the minimum distance to combustible materials as stated in the installation instructions when designing your own installation.

The 'Nominal' heat output is to be used for calculating the ventilation provision as required by ADJ Building Regulations and for calculating its suitability for heating the size of room it will be fitted into. The heat output 'Range' is to be used as a guide only as the maximum and minimum performance will depend on local conditions such as flue pull, fuel quality and the way in which the product is used.



*Riva 55 with standard 3 sided frame in Metallic Black
with removable handle in situ. Also shown with Malmo mantel from Stovax*

STOVAX | STOVE & FIREPLACE ACCESSORIES

Care of your Stove or Fire




To help you get the best performance from your stove or fireplace and keep it in good condition, inside and out, Stovax offers a wide range of cleaning and maintenance products. Stovax also supplies a wide variety of fireplace accessories including fire screens and tool sets. Your local retailer will be able to give you full details or you may view the complete range at www.stovax.com.



Fireplace, Stove and Hearth Accessories

Included in the brochure is an outstanding selection of fireplace and stove tools.

Expertly crafted with a variety of styling options and available in wrought iron, black, brass and chrome finishes, this exquisite range of accessories comprises individual tools alongside complete companion sets. There are also a number of classically designed pails, scuttles and holders for your coals, logs and kindling – functional and stylish accompaniments to your stove or fireplace.



Contemporary Fire Tools and Log Holders

For more modern interiors, Stovax has developed a range of contemporary fire tools and log holders. That are both sturdy and attractive. These minimalist accessories offer a superb pairing to Stovax's Riva range of fires and stoves. See pages 19, 28 and 63 for contemporary tools and log holders in situ.





Riva 66 with wide 4 sided frame in Metallic Black with removable handle in situ. Shown with Contemporary Highline Log Store from Stovax.

ELISE | CASSETTE FIRES



The Stovax Elise range presents an additional selection of contemporary styled woodburning and multi-fuel cassette fires at the pinnacle of innovation.

Elise fires feature state of the art airflow and combustion systems that produce magnificent flame visuals and high efficiency, all whilst lowering emissions to an absolute minimum. The progressive design makes it not only one of the today's cleanest burning fires but also compliant with tomorrow's Ecodesign standards for 2022.

Further information about this exciting range can be found in a separate, dedicated brochure which can be requested from your local retailer or viewed online at www.stovax.com.





*Elise 850 woodburning with Burnt Sienna Fireplace Tile Surround.
Also shown: Small Curved Log Holder*

STUDIO | CASSETTE FIRES & STOVES



In addition to the exciting products shown throughout this brochure, Stovax also offer another range of larger format, woodburning cassettes fires and freestanding stoves that are truly distinctive in appearance and ideal for most modern interiors.

The Studio range offers all the appeal of a traditionally fuelled fire, but with sleek contemporary designs and exemplary technological features. Available with a wide choice of sizes and complementary frame and styling options, the versatile Studio can make a real style statement and allow you to find the perfect woodburning fire for your home.

Further information about this exciting range can be found in a separate, dedicated brochure which can be requested from your local retailer or viewed online at www.stovax.com.







Riva 50 with handle removed and standard 3 sided frame, both in Metallic Black

STOVAX
Fire Your Imagination

Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, England EX2 7LF

Trade Sales Tel: 01392 474000

Export Sales Tel: +44 1392 261990

Other depts Tel: 01392 474011

Fax: 01392 219932

Email: info@stovax.com

www.stovax.com

A member of the Stovax Group

Stovax gratefully acknowledges the assistance of the following companies with photographic settings:

Furnishings & Ornaments: www.furniturevillage.co.uk, www.debenhams.com, www.habitat.com, www.houseoffraser.co.uk, www.eclectique.co.uk, www.johnlewis.com, www.next.co.uk, www.faginsantiques.com, www.lauraashley.com, www.theorangerie.co.uk, www.romo.com

Paintings: www.easycart.com, www.tritongalleries.com **Stone Mantels:** www.farmington.co.uk **Tiles & Stone Floors:** www.originalstyle.com

Flooring: www.beachbros.co.uk, www.carpetright.co.uk **Lighting:** www.amoslighting.co.uk

To view and download our complete range of brochures, simply scan this code or visit www.stovax.com



Your Stovax stockist:

£2.00



RIVA

