



# HENLEY STOVES

## THE HEATING SPECIALISTS

---

"EVERY HOME DESERVES A HENLEY"



[www.henleystoves.com](http://www.henleystoves.com)



# Our Commitment To The Environment



We strive to operate our business in an environmentally and socially responsible manner and work hard to ensure that our business operations have as little impact as possible on the environment and society.

Sustainability is a core part of who we are. We remind everyone we deal with - whether it be employees, suppliers or customers - that we like to leave things a little better than we found them. This forward-thinking attitude will not only help our business grow, but make the world a little better for all of us. More information on our commitment to the environment can be found on our website at [www.henleystoves.com](http://www.henleystoves.com)

*Druid 5 - Matt Black*

## Wood & Multi-fuel Stoves

All Henley stoves are designed to burn wood and smokeless fuels. Our design team invested considerable time to develop the unique combustion technology that is featured in the Druid range

It is one of the cleanest burning stoves in the world. Due to its triple tertiary air system, the combustion efficiency is one of the best in the world and it also enhances the visual effect of your lighting fire during the burn cycle, that enhances the visual effect of when the fire is light. In a nutshell you will always have a beautiful dancing flame. All our stoves are tested to the highest standard, we have worked closely with our testing partners in Kiwa Gastech UK

The laboratory commented that the Druid 5kW and Druid 8kW reached one of the highest rating of its class. The results out rated the leading stove manufactures in Europe.



# Thames - Room Heater



The Thames multi fuel stove was designed specifically to fit under a standard 16 fireplace opening. It is ideal for those awkward cast iron canopies or if you do not have much space on your hearth. Manufactured from steel with a cast iron door this stove boasts an efficiency of 79%.

Available Finishes



*Thames 4.5 - Matt Black*



AVAILABLE IN  
**4.5kW**  
OUTPUT  
ROOM HEATER

AVAILABLE IN  
**8kW**  
OUTPUT  
ROOM HEATER



# Yale - Room Heater



The Yale multi fuel stove was designed specifically to fit under a standard 16 fireplace opening. It is ideal for those awkward cast iron canopies or if you do not have much space on your hearth. It is also external air ready if your house requires this. Manufactured from steel with a cast iron door this stove boasts an efficiency of 79%.

Available Finishes



Yale 4.5 - Matt Black



# Apollo - Room Heater - Insert



Henley Stoves best selling Apollo insert room heater stove is a fully cast iron stove with over 79% efficiency. Its convection based technology creates unrivalled constant warmth in your room. It will fit most standard 16/18 fireplace openings. Also available in matt black.

Available Finishes



*Apollo 7 - Enamel Black*



# Arklow - Room Heater - Insert



The Arklow insert room heater stove is a new and improved addition to the Henley range. It is a fully cast iron stove with over 79% efficiency. Its convection based technology creates unrivalled constant warmth in your room. It will fit most standard 16/18 fireplace openings. Also available in enamel.

Available Finishes



Arklow 7 - Matt Black



# Druid - Room Heater



The Druid 5kw/8kW multi fuel log box is the smallest of the Druid family range. The Druid range starts at 5kw and increases all the way to a 30kw boiler, and 14kW & 20kW double sided stoves. It is constructed from high grade steel with a heavy cast iron door. It also has a double combustion system and cool to touch handle. The Druid 5kw is also Defra Approved.

Available Finishes



Druid 5 - Matt Black

AVAILABLE IN  
**5kW**  
OUTPUT  
ROOM HEATER

AVAILABLE IN  
**8kW**  
OUTPUT  
ROOM HEATER

AVAILABLE IN  
**12kW**  
OUTPUT  
ROOM HEATER

AVAILABLE IN  
**14kW**  
OUTPUT  
DOUBLE SIDED

AVAILABLE IN  
**16kW**  
OUTPUT  
ROOM HEATER

AVAILABLE IN  
**20kW**  
OUTPUT  
DOUBLE SIDED

AVAILABLE IN  
**21kW**  
OUTPUT  
ROOM HEATER



# Cambridge - Room Heater



The Cambridge stove is a blend of traditional values with a modern twist. Its popular look and excellent cast iron build quality makes this stove an excellent choice for any customer. Boasting primary,secondary and tertiary air for excellent air control and an efficiency level of 77%. It is available in 3 sizes in 5kw,7.5kw and 10.5kw in matt and enamel.

Available Finishes



Cambridge 7.5 - Enamel Cream



# Ascot - Room Heater



The Ascot stove brings the best of modern technology and traditional looks to the Henley range. This stove is external air ready if your house requires this but can be used as a standard stove also. This external air technology gives unrivalled air control allowing you to save more fuel than a standard stove.

Available Finishes



*Ascot 7 - Enamel Cream*



# Devon - Room Heater




The Devon log box is a British inspired stove who have been world leaders in the stove industry for nearly a century. It is constructed of a steel body and comes as standard with external air if your home requires this. This allows for excellent air control which raises the efficiency level to over 80%.

Available Finishes



Devon 7 - Matt Black



# Eden - Room Heater



The Eden 5kW Stove is another new addition to Henley's Premier Collection of stoves. Its superb cast iron construction and traditional design combined with modern technology, make this stove a popular choice for any customer.

Available Finishes



Eden 5 - Matt Black



# Aran - Room Heater



The Aran 6kw multi fuel stove has been a Henley best seller from the beginning. Its beautiful traditional look makes it one of the most popular on the Irish market. Completely manufactured in cast iron, it is also available in a variety of enamel colours.

Available Finishes



*Aran 6 - Matt Black*



# Achil - Room Heater - Insert




Henley Stoves best selling Achill 6.6kw insert room heater stove is a fully cast iron stove with over 79% efficiency. Its convection based technology creates unrivalled constant warmth in your room. It will fit most standard 16/18 fireplace openings.

Available Finishes



*Achill 6.6 - Matt Black*



# Kylemore - Room Heater



The Kylemore 7 is another recently introduced model to the Henley Stoves range. This stove is external air ready if your house requires this but can be used as a standard stove also. This external air technology gives unrivalled air control allowing you to save more fuel than a standard stove.

Available Finishes



# Skellig - Room Heater



The Skellig multi fuel stove is another main stay of the Henley collection. Manufactured from high quality heavy cast iron it has been a best seller year in and year out. It is available in both a room heater and boiler in matt black and enamel.

Available Finishes



*Skellig 8 - Enamel Brown*



# Bracken - Room Heater



The Bracken 9kw multi fuel stove mixes both traditional looks and modern technology. Its double combustion system allows for great fuel efficiency along with excellent air control. Its separate ash door allows for easy cleaning. Also available in a choice of enamel colours.

Available Finishes



# Tullamore - Room Heater



The Tullamore 14kw room heater stove is a heavy fully cast iron stove suitable for large living areas. Its traditional looks combined with modern technology makes it a popular choice. Its double combustion system gives excellent fuel efficiency at 77%.

Available Finishes



# Skellig - Boiler



The Skellig multi fuel stove is another main stay of the Henley collection. It is capable of heating up to 4 radiators and a hot water tank. Manufactured from high quality heavy cast iron it has been a best seller year in and year out. It is available in both a room heater and boiler in matt black and enamel.

Available Finishes



# Druid - Boiler



The Druid 12kw multi fuel boiler is the middle child of the Druid family range. It is capable of heating up to 6 radiators on the 12kW, 13 radiators on the 21kW, 17 radiators on the 25 and 21 radiators on the 30kW. The Druid range starts at 5kw and increases all the way to a 30kw boiler. It is constructed from high grade steel with a heavy cast iron door. It also has a double

Available Finishes



AVAILABLE IN  
**12kW**  
OUTPUT  
ROOM HEATER

AVAILABLE IN  
**21kW**  
OUTPUT  
ROOM HEATER

AVAILABLE IN  
**25kW**  
OUTPUT  
ROOM HEATER

AVAILABLE IN  
**30kW**  
OUTPUT  
ROOM HEATER




# Achil - Boiler - Insert



The Achill multi fuel Insert boiler is capable of heating up to 9/10 single radiators on the 17.1kw and 13/14 single radiators on the 21kw. It will fit most standard 16/18 fireplace openings and is Constructed from steel with a cast iron door with an efficiency level of over 77%. It is thermostatically controlled which combined with both primary and secondary air allows for exceptional control.

Available Finishes



# Achil - Boiler



The Achill 18kw boiler multi fuel stove is designed to heat up to 10/11 single radiators. It is a steel stove with a cast iron door and efficiency level of over 77%. Its secondary air mechanism helps keep your glass clean for that lovely open fire look while adding warmth to your home. It also features a unique eco baffle boiler which creates extra boiler heat in comparison to a standard boiler.

Available Finishes



# Basket - Boiler



The Basket 21kw boiler is ideally suited for most Irish homes and is capable of heating up to 13 radiators. It is a fully cast iron multi fuel stove weighing 240kg. It has a separate ash door for easy cleaning and is thermostatically controlled. It is also available in a choice of enamel colours.

Available Finishes



*Basket 21 - Matt Black*



# Hampton - Boiler



The Hampton 30kw boiler is the only double door stove in the Henley range. It is capable of heating up to 21 radiators and a large room also. It comes with external air as standard if your house requires it. Like most other Henley models its double combustion system is unrivalled for huge fuel efficiency.

Available Finishes 




Hampton 21 - Matt Black





# Tech Specs



	Height	Width	Depth	Flue	Backbox Height	Backbox Width	Backbox Depth
Druid 5kW	548mm	405mm	320mm	125mm	-	-	-
Druid 5kW - Log Box	780mm	405mm	320mm	125mm	-	-	-
Druid 8kW	578mm	520mm	386mm	153mm	-	-	-
Druid 8kW - Log Box	770mm	520mm	386mm	153mm	-	-	-
Druid 12kW	623mm	595mm	427mm	153mm	-	-	-
Druid 16kW	650mm	632mm	430mm	153mm	-	-	-
Druid 21kW	680mm	660mm	465mm	153mm	-	-	-
Druid 14kW - DS	625mm	590mm	541mm	153mm	-	-	-
Druid 20kW - DS	628mm	590mm	631mm	153mm	-	-	-
Druid 12kW - Boiler	623mm	595mm	472mm	153mm	-	-	-
Druid 21kW - Boiler	680mm	660mm	465mm	153mm	-	-	-
Druid 25kW - Boiler	685mm	660mm	510mm	153mm	-	-	-
Druid 30kW - Boiler	732mm	740mm	535mm	153mm	-	-	-

\*\*\* All stove measurments, stove drawings and boiler pipe drawing can be found on [www.henleystoves.com](http://www.henleystoves.com)  
\*\*\* All information is correct at time of print however for more up to date information visit [www.henleystoves.com](http://www.henleystoves.com)

# Tech Specs

	Height	Width	Depth	Flue	Backbox Height	Backbox Width	Backbox Depth
Thames 4.5kW - Slimline	522mm	398mm	300mm	125mm	-	-	-
Thames 8kW - Slimline	575mm	560mm	305mm	153mm	-	-	-
Cambridge 5kW	511mm	390mm	310mm	125mm	-	-	-
Cambridge 7.5kW	592mm	430mm	375mm	125mm	-	-	-
Cambridge 10.5kW	621mm	513mm	367mm	153mm	-	-	-
Oxford 7kW	553mm	450mm	375mm	125mm	-	-	-
Oxford 7kW - Log Box	790mm	450mm	375mm	125mm	-	-	-
Oxford 9kW	585mm	492mm	396mm	153mm	-	-	-
Oxford 9kW - Log Box	810mm	492mm	396mm	153mm	-	-	-
Ascot 5kW	505mm	399mm	374mm	125mm	-	-	-
Ascot 7kW	559mm	494mm	332mm	125mm	-	-	-
Yale 5kW	522mm	398mm	300mm	125mm	-	-	-
Yale 8kW	575mm	560mm	305mm	153mm	-	-	-
Aran 6kW	645mm	450mm	400mm	125mm	-	-	-
Skellig 8kW	690mm	540mm	470mm	153mm	-	-	-
Skellig 9kW - Boiler	690mm	540mm	470mm	153mm	-	-	-
Braken 9kW	581mm	520mm	355mm	125mm	-	-	-
Basket 21kW - Boiler	800mm	620mm	560mm	153mm	-	-	-
Tullamore 14kW	699mm	655mm	471mm	153mm	-	-	-
Apollo 5kW	595mm	485mm	320mm	125mm	487mm	396mm	263mm
Apollo 7kW	597mm	485mm	425mm	125mm	510mm	396mm	360mm
Achill 6.6kW	595mm	485mm	428mm	125mm	585mm	362mm	400mm
Achill 17.1kW - Boiler	590mm	555mm	485mm	153mm	560mm	430mm	355mm
Achill 21kW - Boiler	635mm	626mm	535mm	153mm	575mm	550mm	355mm
Arklow 5kW	591mm	499mm	352mm	125mm	-	-	-
Arklow 7kW	591mm	499mm	439mm	125mm	-	-	-
Porto Stove Door	525mm	620mm	-	-	-	-	-
Achill 16kW - FS	650mm	615mm	445mm	153mm	-	-	-
Achill 18kW - FS Boiler	650mm	615mm	445mm	153mm	-	-	-



Warranty

All Henley stoves come with a 5 year warranty on the body of the stove.



Air Wash

All Henley stoves come with an airwash system which helps to keep the glass clean. It uses a specially placed vent or vents to draw in air from the outside to which will wash over the front of the glass.



Cleanburn

A Henley stove with this icon features a tertiary air system. This creates a cleanburn system where hot air is pushed into the firebox above the normal height of the fire. This allows the excess gasses to combust given a cleaner burn.



Defra Exempt

A Henley stove with this icon are DEFRA exempt and have been fully tested to this standard. A DEFRA exempt stove can be used in a Smoke Control Area whereas a non DEFRA stove cannot.



Smoke Control Area Exempt

A Henley stove with this icon is approved for Smoke Control Areas. If you are in a Smoke Control Area then you can only burn authorised fuels (generally just smokeless fuels, although the list is available from DEFRA).



CE Number

European standard of test for stoves fired by solid fuel, Incorporating corrigenda September 2003, June 2006 and August 2007



Passive Air

A Henley stove with this icon means that the stove is fully compliant with regulations for fully passive houses.



External Air

A Henley stove with this icon has an external air facility allowing the air to come directly from outside your building rather than through a vent in the room. This is required for heat recovery systems in new build projects.



Thermostat

A Henley stove with this icon is a boiler stove which comes with a thermostat control. This regulates the amount of air released into the stove until it reaches the optimum temperature and automatically closes.

\*\*\* All stove measurements, stove drawings and boiler pipe drawings can be found on [www.henleystoves.com](http://www.henleystoves.com)  
\*\*\* All information is correct at time of print however for more up to date information visit [www.henleystoves.com](http://www.henleystoves.com)

\*\*\* All radiator estimates are based on a single radiator of measurement 500mm x 1190mm  
\*\*\* Picture is for illustration purposes and some designs may have changed before going to print

